# Author index for papers in Volume 28

*Pages are numbered consecutively through the volume: 1–122, January; 123–230, March; 231–338, May; 399–498, July; 499–651, September; and 651–768, November.*


**Adams, Edward**
572 see Fiebrich, Rolf-Dieter

**Adams, Edward N.**
2 *Optimizing preventive service of software products*

**Agerwala, T.**
95 see Goyal, A.

**Aichelmann, F. J., Jr.**
177 *Fault-tolerant design techniques for semiconductor memory applications*

**Alberga, C. N.,** A. L. Brown, G. B. Leeman, Jr., M. Mikelsons, and M. N. Wegman
60 *A program development tool*

**Alvarodiaz, R. R.**
524 see Elder, W. H.

**Amaral de Sa, Jose E.**
82 see Casanova, Marco A.

**Arbach, Gary V.**
679 see Bindra, Perminder

**Arlat, J.** and W. C. Carter
159 *Implementation and evaluation of a (b,k)-adjacent error-correcting/detecting scheme for supercomputer systems*

**Armstrong, F. M.**
340 see Tryon, D. R.

**Ayala, J. E.**
241 see Lee, M. H.

**Barone, A. M.** and J. K. Morrell
590 *Custom Chip/Card Design System*

**Barrera, C.** and A. V. Strietzel
263 *Electrophotographic printer control as embodied in the IBM 3800 Printing Subsystem Models 3 and 8*

**Barzilai, Z.,** D. K. Beece, L. M. Huisman, and G. M. Silberman
564 *Using a hardware simulation engine for custom MOS structured designs*

**Baumann, Gerald W.**
292 *Flash fusing in electrophotographic machines*

**Beece, D. K.**
564 see Barzilai, Z.

**Berry, B. S.** and W. C. Pritchet
662 *Bending-cantilever method for the study of moisture swelling in polymers*

**Bindra, Perminder,** David Light, and David Rath
668 *Mechanisms of electroless metal plating: I. Mixed potential theory and the interdependence of partial reactions*

**Bindra, Perminder,** Judith M. Roldan, and Gary V. Arbach
679 *Mechanisms of electroless metal plating: II. Decomposition of formaldehyde*

**Blahut, Richard E.**
150 *A universal Reed-Solomon decoder*

**Bogy, D. B.** and F. E. Talke
314 *Experimental and theoretical study of wave propagation phenomena in drop-on-demand ink jet devices*

**Borch, J.** and R. G. Svendsen
285 *Paper material considerations for system printers*

**Bossen, D. C.,** C. L. Chen, and M. Y. Hsiao
170 *Fault alignment exclusion for memory using address permutation*

**Brand, Daniel**
537 see Darringer, John A.

**Brown, A. L.**
60 see Alberga, C. N.

**Capelli, R. B.** and G. C. Sax
512 *A device-independent graphics package for CAD applications*

**Carter, W. C.**
159 see Arlat, J.

**Casanova, Marco A.** and Jose E. Amaral de Sa
82 *Mapping uninterpreted schemes into entity-relationship diagrams: Two applications to conceptual schema design*

**Chen, C. L.** and M. Y. Hsiao
124 *Error-correcting codes for semiconductor memory applications: A state-of-the-art review*

**Chen, C. L.** and R. A. Rutledge
184 *Fault-tolerant memory simulator*

**Chen, C. L.**
170 see Bossen, D. C.

**Chen, C. L.**
212 see Tang, D. T.

**Chen, W. T.**
719 see Kelly, J. H.

**Chen, W. T.**
652 see Seraphim, D. P.

**Cook, Peter W.**
581 *Constraint solver for generalized IC layout*

**Correale, A.**
370 *Design considerations of a static LSSD polarity hold latch pair*

**Crawford, J. L.,** C. D. Elzinga, and R. Yudico
276 *Print quality measurements for high-speed electrophotographic printers*

**Darekar, V. S.**
711 see Lee, L. C.

**Darling, Richard H.,** Chen-Hsiung Lee, and Lawrence Kuhn
300 *Multiple-nozzle ink jet printing experiment*

**Darringer, John A.,** Daniel Brand, John V. Gerbi, William H. Joyner, Jr., and Louise Trevillyan
537 *LSS: A system for production logic synthesis*

**Dave, J. V.** and Jenö Gazdag
399 *Reduction of random noise from multiband image data using phase relationships among their Fourier coefficients*

**Dill, Frederick**
379 see Matick, Richard

**Elder, W. H.,** P. P. Zenewicz, and R. R. Alvarodiaz
524 *An interactive system for VLSI chip physical design*

**Elmendorf, P. C.**
603 KWIRE: *A multiple-technology, user-reconfigurable wiring tool for VLSI*

**Elzinga, C. D.**
276 see Crawford, J. L.

**Fiebrich, Rolf-Dieter,** Yuh-Zen Liao, George Koppelman, and Edward Adams
572 *PSI: A symbolic layout system*

**Flynn, Michael J.** and Lee W. Hoevel
356 *Measures of ideal execution architectures*

**France, R.**
625 see Leet, D.

**Fromm, J. E.**
322 *Numerical calculation of the fluid dynamics of drop-on-demand jets*

**Gazdag, Jenö**
399 see Dave, J. V.

**Gerbi, John V.**
537 see Darringer, John A.

**Gilkinson, J. L.,** S. D. Lewis, B. B. Winter, and A. Hekmatpour
546 *Automated technology mapping*

**Gillespie, Sherry J.**
454 *Resist profile control in E-beam lithography*

**Ginsburg, R.** and J. R. Susko
735 *High-temperature stability of a polyimide film*

**Goyal, A.** and T. Agerwala
95 *Performance analysis of future shared storage systems*

**Grant, B. D.**
241 see Lee, M. H.

**Gupta, Satish**
379 see Matick, Richard

**Halim, Nagui**
52 see Strom, Robert

**Hall, N. R.** and S. Preiser
15 *Combined network complexity measures*

**Harvey, H. E.**
196 see Libson, M. R.

**Hauge, Peter S.** and Ellen J. Yoffa
596 *ACORN: A system for CVS macro design by tree placement and tree customization*

**Hekmatpour, A.**
546 see Gilkinson, J. L.

**Held, M.,** A. J. Hoffman, E. L. Johnson, and P. Wolfe
476 *Aspects of the traveling salesman problem*

**Hoevel, Lee W.**
356 see Flynn, Michael J.

**Hoffman, A. J.**
476 see Held, M.

**Hopner, E.** and M. A. Patten
444 *The digital data exchange—A space-division switching system*

**Horkans, J.,** C. Sambucetti, and V. Markovich
690 *Initiation of electroless Cu plating on nonmetallic surfaces*

**Howell, Thomas D.**
206 *Analysis of correctable errors in the IBM 3380 disk file*

**Hsiao, M. Y.**
170 see Bossen, D. C.

**Hsiao, M. Y.**
124 see Chen, C. L.

**Huisman, L. M.**
564 see Barzilai, Z.

**Imaino, W.**
241 see Lee, M. H.

**Jaffe, A.**
241 see Lee, M. H.

**Johnson, E. L.**
476 see Held, M.

**Johnson, R. W.**
697 see Kim, J.

**Joyner, William H., Jr.**
537 see Darringer, John A.

**Jung, D. Y.**
697 see Kim, J.

**Kelly, J. H.,** C. K. Lim, and W. T. Chen
719 *Optimization of interconnections between packaging levels*

**Kim, J.,** S. H. Wen, D. Y. Jung, and R. W. Johnson
697 *Microstructure evolution during electroless copper deposition*

**Koppelman, George**
572 see Fiebrich, Rolf-Dieter

**Kovac, Z.** and K. N. Tu
726 *Immersion tin: Its chemistry, metallurgy, and application in electronic packaging technology*

**Kruskal, Vincent**
74 *Managing multi-version programs with an editor*

**Kuhn, Lawrence**
300 see Darling, Richard H.

**Langdon, Glen G., Jr.**
135 *An introduction to arithmetic coding*

**Lasky, R.**
655 see Marsh, L. L.

**Latta, M. R.**
241 see Lee, M. H.

**Lee, Chen-Hsiung**
300 see Darling, Richard H.

**Lee, F. C.,** P. H. Mills, and F. E. Talke
307 *The application of drop-on-demand ink jet technology to color printing*

**Lee, L. C.,** V. S. Darekar, and C. K. Lim
711 *Micromechanics of multilayer printed circuit boards*

**Lee, M. H.,** J. E. Ayala, B. D. Grant, W. Imaino, A. Jaffe, M. R. Latta, and S. L. Rice
241 *Technology trends in electrophotography*

**Leeman, G. B., Jr.**
60 see Alberga, C. N.

**Leet, D.,** P. Shearon, and R. France
625 *A CMOS LSSD test generation system*

**Lewis, S. D.**
546 see Gilkinson, J. L.

**Liao, Yuh-Zen**
572 see Fiebrich, Rolf-Dieter

**Libson, M. R.** and H. E. Harvey
196 *A general-purpose memory reliability simulator*

**Light, Davić**
668 see Bindra, Perminder

**Lim, C. K.**
719 see Kelly, J. H.

**Lim, C. K.**
711 see Lee, L. C.

**Ling, Daniel T.**
379 see Matick, Richard

**Linsker, Ralph**
613 *An iterative-improvement penalty-function-driven wire routing system*

**Maissel, L. I.** and H. Ofek
557 *Hardware design and description languages in IBM*

**Markovich, V.**
690 see Horkans, J.

**Marsh, L. L.,** R. Lasky, D. P. Seraphim, and G. S. Springer
655 *Moisture solubility and diffusion in epoxy and epoxy-glass composites*

**Matick, Richard,** Daniel T. Ling, Satish Gupta, and Frederick Dill
379 *All points addressable raster display memory*

**McMurtry, David,** Mike Tinghitella, and Roger Svendsen
257 *Technology of the IBM 3800 Printing Subsystem Model 3*

**Mikelsons, M.**
60 see Alberga, C. N.

**Miller, R. C., Jr.**
252 *Introduction to the IBM 3800 Printing Subsystem Models 3 and 8*

**Mills, R. N.**
307 see Lee, F. C.

**Morrell, J. K.**
590 see Barone, A. M.

**Myers, R. A.** and J. C. Tamulis
234 *Introduction to topical issue on non-impact printing technologies*

**Ofek, H.**
557 see Maissel, L. I.

**Ohba, Mitsuru**
428 *Software reliability analysis models*

**Orth, D. L.**
412 *Empty arrays in extended APL*

**Ostapko, D. L.**
393 *A mapping and memory chip hardware which provides symmetric reading/writing of horizontal and vertical lines*

**Patten, M. A.**
444 see Hopner, E.

**Preiser, S.**
15 see Hall, N. R.

**Pritchet, W. C.**
662 see Berry, B. S.

**Rath, David**
668 see Bindra, Perminder

**Reiter, M. R.**
340 see Tryon, D. R.

**Rice, S. L.**
241 see Lee, M. H.

**Ris, Frederic N.**
40 *Experience with access functions in an experimental compiler*

**Roldan, Judith M.**
679 see Bindra, Perminder

**Rosenberg, R.**
652 see Seraphim, D. P.

**Rutledge, R. A.**
184 see Chen, C. L.

**Sambucetti, C.**
690 see Horkans, J.

**Sax, G. C.**
512 see Capelli, R. B.

**Schubert, S. A.**
741 *Determination of Gafac in complex solution matrices*

**Seraphim, D. P.,** W. T. Chen, P. A. Toole, and R. Rosenberg
652 *Advances in materials and processes for printed circuit packaging technology*

**Seraphim, D. P.**
655 see Marsh, L. L.

**Shearon, P.**
625 see Leet, D.

**Silberman, G. M.**
564 see Barzilai, Z.

**Sowa, John F.**
28 *Interactive language implementation system*

**Springer, G. S.**
655 see Marsh, L. L.

**Stapper, C. H.**
461 *Modeling of defects in integrated circuit photolithographic patterns*

**Stapper, C. H.**
636 *Yield model for fault clusters within integrated circuits*

**Strietzel, A. V.**
263 see Barrera, C.

**Strom, Robert** and Nagui Halim
52 *A new programming methodology for long-lived software systems*

**Susko, J. R.**
735 see Ginsburg, R.

**Svendsen, R. G.**
285 see Borch, J.

**Svendsen, Roger**
257 see McMurtry, David

**Talke, F. E.**
314 see Bogy, D. B.

**Talke, F. E.**
307 see Lee, F. C.

**Tamulis, J. C.**
234 see Myers, R. A.

**Tang, D. T.** and C. L. Chen
212 *Iterative exhaustive pattern generation for logic testing*

**Taylor, Richard L.**
501 *A software architecture for a mature design automation system*

**Tinghitella, Mike**
257 see McMurtry, David

**Toole, P. A.**
652 see Seraphim, D. P.

**Trevillyan, Louise**
537 see Darringer, John A.

**Tryon, D. R.**, F. M. Armstrong, and M. R. Reiter
340 *Statistical failure analysis of system timing*

**Tu, K. N.**
726 see Kovac, Z.

**Wegman, M. N.**
60 see Alberga, C. N.

**Wen, S. H.**
697 see Kim, J.

**Winter, B. B.**
546 see Gilkinson, J. L.

**Wolfe, P.**
476 see Held, M.

**Yoffa, Ellen J.**
596 see Hauge, Peter S.

**Yudico, R.**
276 see Crawford, J. L.

**Zenewicz, P. P.**
524 see Elder, W. H.

# Subject index for papers in Volume 28

*Each index term below is accompanied by a page number and an author's name. With that name in the author index are the title of the paper and the names of coauthors, if any.*


| *Subject* | *Author* | *Page* |
|---|---|---|
| Algorithms | | |
| Traveling salesman problem | Held | 476 |
| Analytical models | | |
| Concentration of surface-active agent | Schubert | 741 |
| Electroless plating | Bindra | 668 |
| Moisture absorption-desorption | Marsh | 655 |
| Plating chemistry | Kovac | 726 |
| APL | | |
| Empty arrays in extended APL | Orth | 412 |
| Chemistry and chemical engineering | | |
| Immersion tin | Kovac | 726 |
| Initiation of plating | Horkans | 690 |
| Moisture solubility in epoxy | Marsh | 655 |
| Plating mechanisms | Bindra | 668 |
| Plating mechanisms | Bindra | 679 |
| Polyimide film stability | Ginsburg | 735 |
| Surface-active agents | Schubert | 741 |
| Coding theory | | |
| Introduction to arithmetic coding | Langdon | 135 |
| Universal Reed/Solomon decoder | Blahut | 150 |
| Compilers and interpreters | | |
| Access functions | Ris | 40 |
| Empty arrays in extended APL | Orth | 412 |
| Interactive language implementation | Sowa | 28 |
| Complexity theory | | |
| Software complexity measures | Hall | 15 |
| Traveling salesman problem | Held | 476 |
| Computer-aided design | | |
| Device-independent graphics for CAD | Capelli | 512 |
| Computer architecture | | |
| Measures of ideal execution architectures | Flynn | 356 |
| Shared storage performance | Goyal | 95 |
| Computer organization and design | | |
| Timing analysis | Tryon | 340 |
| Computer performance analysis | | |
| Shared storage systems | Goyal | 95 |
| Control systems | | |
| 3800 Models 3 and 8: control | Barrera | 263 |
| Design automation | | |
| ACORN: CVS macro design by tree placement and customization | Hauge | 596 |
| Automated technology mapping | Gilkinson | 546 |
| CMOS LSSD test generation system | Leet | 625 |
| Computer timing analysis | Tryon | 340 |
| Constraint solver for generalized IC layout | Cook | 581 |
| Custom chip/card design | Barone | 590 |
| Device-independent graphics for CAD | Capelli | 512 |
| Hardware design and description languages in IBM | Maissel | 557 |
| Hardware simulation engine for custom MOS designs | Barzilai | 564 |
| Interactive VLSI chip physical design | Elder | 524 |
| Iterative-improvement penalty-function-driven wire routing | Linsker | 613 |
| KWIRE: multiple-technology user-reconfigurable wiring tool for VLSI | Elmendorf | 603 |
| LSS: system for production logic synthesis | Darringer | 537 |
| PSI: symbolic layout system | Fiebrich | 572 |
| Software architecture for mature design automation system | Taylor | 501 |
| Display technology | | |
| APA mapping scheme | Ostapko | 393 |
| APA RAM chip | Matick | 379 |
| Electronic packaging technology | | |
| Advances in materials and processes | Seraphim | 652 |
| Micromechanics of printed circuits | Lee | 711 |
| Moisture solubility and diffusion | Marsh | 655 |
| Optimization of interconnections | Kelly | 719 |
| Plating initiation | Horkans | 690 |
| Plating mechanisms | Bindra | 668 |
| Plating mechanisms | Bindra | 679 |
| Polyimide film stability | Ginsburg | 735 |
| Electroless plating | | |
| Decomposition of formaldehyde | Bindra | 679 |
| Mixed potential theory | Bindra | 668 |
| Electrophotographic printing | | |
| Electrophotographic technology trends | Lee | 241 |
| Flash fusing | Baumann | 292 |
| Key technologies and milestones in computer output printing | Myers | 234 |
| Paper material considerations | Borch | 285 |
| Print quality measurements | Crawford | 276 |
| 3800 Models 3 and 8: technology | McMurtry | 257 |

Error control and recovery
- Analysis of correctable errors in IBM 3380 disk file — Howell — 206
- (*b*,*k*)-adjacent error-correcting/detecting scheme for supercomputers — Arlat — 159
- Error-correcting codes for semiconductor memory applications: review — Chen — 124
- Fault alignment exclusion using address permutation — Bossen — 170
- Fault-tolerant design for semiconductor memory — Aichelmann — 177
- Fault-tolerant memory simulator — Chen — 184
- General-purpose memory reliability simulator — Libson — 196
- Introduction to arithmetic coding — Langdon — 135
- Iterative exhaustive pattern generation for logic testing — Tang — 212
- Universal Reed-Solomon decoder — Blahut — 150

Error control codes
- Error-correcting codes for semiconductor memory applications: review — Chen — 124

Error detection and correction
- Analysis of correctable errors in IBM 3380 disk file — Howell — 206
- (*b*,*k*)-adjacent error-correcting/detecting scheme for supercomputers — Arlat — 159
- Fault-tolerant memory simulator — Chen — 184

Fault-tolerant systems
- Fault alignment exclusion using address permutation — Bossen — 170
- Fault-tolerant design for semiconductor memory — Aichelmann — 177
- Fault-tolerant memory simulator — Chen — 184

Films
- High-temperature stability — Ginsburg — 735
- Microstructure of deposited Cu — Kim — 697
- Moisture solubility and diffusion — Marsh — 655
- Study of moisture swelling — Berry — 662

Graphics
- APA mapping scheme — Ostapko — 393
- APA RAM chip — Matick — 379
- Device-independent graphics for CAD — Capelli — 512

Impact printing
- Key technologies and milestones in computer output printing — Myers — 234

Ink jet printing
- Experimental drop-on-demand print head — Lee — 307
- Key technologies and milestones in computer output printing — Myers — 234
- Multiple-nozzle printing experiment — Darling — 300
- Numerical calculation of fluid dynamics of drop-on-demand jets — Fromm — 322
- Study of wave propagation in drop-on-demand devices — Bogy — 314

Integrated circuits
- ACORN: CVS macro design by tree placement and customization — Hauge — 596
- Constraint solver for generalized IC layout — Cook — 581
- Custom chip/card design — Barone — 590
- Design of static LSSD polarity hold latch pair — Correale — 370
- Hardware design and description languages in IBM — Maissel — 557
- Hardware simulation engine for custom MOS designs — Barzilai — 564
- Iterative-improvement penalty-function-driven wire routing — Linsker — 613
- KWIRE: multiple-technology user-reconfigurable wiring tool for VLSI — Elmendorf — 603
- Modeling defects — Stapper — 461
- PSI: symbolic layout system — Fiebrich — 572
- Yield model — Stapper — 636

Interpretive-execution architecture
- Measures of ideal execution architectures — Flynn — 356

I/O channel subsystems
- Digital data exchange—space-division switching — Hopner — 444

I/O devices
- Digital data exchange—space-division switching — Hopner — 444

I/O technologies
- Digital data exchange—space-division switching — Hopner — 444

Large-scale integration
- ACORN: CVS macro design by tree placement and customization — Hauge — 596
- Custom chip/card design — Barone — 590
- Design of static LSSD polarity hold latch pair — Correale — 370
- Hardware simulation engine for custom MOS designs — Barzilai — 564
- Interactive VLSI chip physical design — Elder — 524
- Iterative-improvement penalty-function-driven wire routing — Linsker — 613
- KWIRE: multiple-technology user-reconfigurable wiring tool for VLSI — Elmendorf — 603
- Modeling defects — Stapper — 461
- Resist profile control — Gillespie — 454
- Yield model — Stapper — 636

Lithography
- Resist profile control — Gillespie — 454

Logic design and technology
- Design of static LSSD polarity hold latch pair — Correale — 370
- Iterative exhaustive pattern generation for logic testing — Tang — 212
- LSS: system for production logic synthesis — Darringer — 537

Logic design testing
- CMOS LSSD test generation system — Leet — 625
- Design of static LSSD polarity hold latch pair — Correale — 370
- Iterative exhaustive pattern generation for logic testing — Tang — 212

Manufacturing technology
- Advances in materials and processes — Seraphim — 652

Materials
- Advances in materials and processes — Seraphim — 652
- Film moisture measurement — Berry — 662
- Microstructure of copper — Kim — 697
- Moisture in films — Marsh — 655
- Paper material considerations for electrophotographic printers — Borch — 285

Plating studies — Horkans — 690
Plating studies — Bindra — 668
Plating studies — Bindra — 679
Polyimide films — Ginsburg — 735

Measurement
Moisture swelling in polymers — Berry — 662
Strain in through-holes — Lee — 711
Print quality measurements for electrophotographic printers — Crawford — 276

Mechanics and mechanisms
Micromechanics of printed circuits — Lee — 711

Memory design and technology
Analysis of correctable errors in IBM 3380 disk file — Howell — 206
Fault-tolerant memory simulator — Chen — 184
General-purpose memory reliability simulator — Libson — 196

Memory management
Analysis of correctable errors in IBM 3380 disk file — Howell — 206
Fault-tolerant memory simulator — Chen — 184
General-purpose memory reliability simulator — Libson — 196

Metallurgy
Immersion tin — Kovac — 726
Microstructure of deposited Cu — Kim — 697

Micrography
Microstructure of deposited Cu — Kim — 697

Models and modeling
Electroless plating — Bindra — 668
Moisture absorption-desorption — Marsh — 655
Integrated circuit defects — Stapper — 461
Semiconductor yield — Stapper — 636
Shared storage performance — Goyal — 95
Software reliability — Ohba — 428

Non-impact printing
Electrophotography technology trends — Lee — 241
Experimental drop-on-demand ink jet print head for color printing — Lee — 307
Flash fusing in electrophotographic machines — Baumann — 292
Key technologies and milestones in computer output printing — Myers — 234
Multiple-nozzle ink jet printing experiment — Darling — 300
Numerical calculation of fluid dynamics of drop-on-demand ink jets — Fromm — 322
Paper material considerations for electrophotographic printers — Borch — 285
Print quality measurements for electrophotographic printers — Crawford — 276
Study of wave propagation in drop-on-demand ink jet devices — Bogy — 314
3800 Models 3 and 8: brief overview — Miller — 252
3800 Models 3 and 8: control — Barrera — 263
3800 Models 3 and 8: technology — McMurtry — 257

Office machines and systems
Digital data exchange—space-division switching — Hopner — 444

Operating systems
Optimizing preventive service — Adams — 2

Optimization
Interconnections in LSI — Kelly — 719
Traveling salesman problem — Held — 476

Packaging
Advances in materials and processing — Seraphim — 652
Optimization of interconnections — Kelly — 719

Performance analysis
Shared storage systems — Goyal — 95

Physics and physical chemistry
Advances in materials and processes — Seraphim — 652
Determination of surface-active agents — Schubert — 741
Immersion tin — Kovac — 726
Moisture solubility and diffusion — Marsh — 655

Plating
Electroless plating — Bindra — 668
Electroless plating — Bindra — 679
Electroless plating — Horkans — 690
Immersion tin — Kovac — 726

Programming and programming languages
Access functions — Ris — 40
Complexity measures — Hall — 15
Empty arrays in extended APL — Orth — 412
Entity-relationship diagrams — Casanova — 82
Language implementation system — Sowa — 28
Multi-version program editor — Kruskal — 74
NIL programming methodology — Strom — 52
Optimizing preventive service — Adams — 2
Program development tool — Alberga — 60
Reliability models — Ohba — 428

Quality in software
Access functions — Ris — 40
Complexity measures — Hall — 15
Entity-relationship diagrams — Casanova — 82
Language implementation tool — Sowa — 28
Multi-version program editor — Kruskal — 74
NIL programming methodology — Strom — 52
Optimizing preventive service — Adams — 2
Program development tool — Alberga — 60
Reliability models — Ohba — 428

Random-access memory
APA display chip — Matick — 379
Display mapping scheme — Ostapko — 393

Reliability
Computer timing analysis — Tryon — 340
Software reliability models — Ohba — 428

Remote sensing
Multiband image data noise reduction using phase relationships — Dave — 399

Semiconductor technology
Modeling defects — Stapper — 461
Resist profile control — Gillespie — 454
Yield model — Stapper — xxx

Signal processing
Multiband image data noise reduction using phase relationships — Dave — 399

Software reliability
Access functions — Ris — 40
Complexity measures — Hall — 15
Entity-relationship diagrams — Casanova — 82
Language implementation tool — Sowa — 28
Multi-version program editor — Kruskal — 74
NIL programming methodology — Strom — 52
Optimizing preventive service — Adams — 2
Program development tool — Alberga — 60
Reliability models — Ohba — 428

| | | |
|---|---|---|
| Spectroscopy | | |
| Immersion tin | Kovac | 726 |
| Statistics applications | | |
| Computer timing | Tryon | 340 |
| Optimizing software service | Adams | 2 |
| Storage systems | | |
| Shared storage performance | Goyal | 95 |
| Surface science | | |
| Microstructure of deposited Cu | Kim | 697 |